# A **WINNING** PROPOSITION

ASKO

# MULTI-HOUSING SOLUTIONS

With ASKO washers and dryers, you can provide residential developments with a traditional laundry option while you enjoy some decidedly unconventional advantages. These space-saving, family-size large capacity washers and dryers can be installed side-by-side or stacked, in tight closets or under countertops – and without high-capacity plumbing or external vents. Flexibility like this makes your design and construction projects easier, more efficient, more flexible and more profitable. ASKO's energy efficiency and environmental policies also align with GREEN minded designers and architects.

## ASKO'S DIFFERENCES MAKE THE DIFFERENCE

| FEATURE/BENEFIT | ASKO | OTHERS |
|---|---|---|
| **SmartSeal**™ door seal and stainless steel outer tub prevent odors and lasts longer. | Yes | No |
| **ActiveDrum**™ for superior cleaning results and optimum fabric care. | Yes | No |
| **Quattro**™ suspension system consisting of 4 shock absorbers reduces vibration and noise. | Yes | No |
| **Line Series**™ controls for simple, trouble-free operation. No owners manual required! | Yes | No |
| 24/7 Customer Care support to meet the demands of the multi-housing lifestyle. | Yes | No |
| Washer connects to cold water only to save money on plumbing installation expense. | Yes | No |
| Washer plugs into the dryer to save more money on electrical installations. | Yes | No |

*These images are shown to illustrate what washer/dryer sets look like side-by-side and stacked.*

## SAVING COSTS

The ASKO UltraCare condenser dryer requires no external venting, so you'll save the design, installation and construction costs of building around the chases, fire codes and finish work. You'll also save on ductwork, and you won't have to cut additional holes in the building exterior. In other words, every hour of labor you save is money in your pocket.

## SAVING SPACE

An ideal option for your residential developments, the ASKO washer and dryer, when stacked, occupy just five square feet of floor space.

## SAVING HEADACHES

Thanks to the low-discharge rates of ASKO washers and the ventless operation of the dryers, you can install them anywhere you have existing or traditional plumbing. Whether your project is a refurbished existing building or a brand-new structure, there are no vents, no special plumbing, no problems. All that, and you'll have the peace of mind that you're installing the world's most environmentally friendly brand of appliances. How's that for a worry-free decision?

## ASKO ULTRACARE CONDENSER (VENTLESS) DRYER

The UltraCare dryer has an internal moisture condenser that eliminates the need for external venting. This condenser extracts moisture and recirculates air back into the residence. Not only does this save installation and construction costs of ductwork for external venting, but it also means that you can install more economical HVAC units. Consider this – traditional dryers with external venting expel about 10,000 cubic feet of air during every cycle. If your development had 100 units, it would lose 1,000,000 cubic feet of air that had already been heated or cooled. As a result, you'd need to install higher-capacity HVAC units – unless you choose ASKO's ventless drying. With ASKO, the air isn't lost. It's just recirculated.

Not having ventilation ducts means no duct maintenance and alleviates safety concerns and liabilities caused by obstructed dryer vents. Also, because these ASKO dryers are ventless they can be installed almost anywhere in the building.

If your project requires a vented dryer, ASKO also offers an option with all the quality that is built into every ASKO product.

- **Butterfly Drying™ System reduces wrinkles and extends motor life**
- **Large capacity, stainless steel drum reduces wrinkles**
- **Stacking kit included**
- **Reversible door**
- **Double lint filter covers entire door**
- **Timed drying program**
- **Includes 220 V, 20 amp receptacle for ASKO washer**
- **Uses standard 30 amp dryer cord (not included)**
- **ADA height-compliant**
- **Three-way, vented model available (T743)**

## ASKO ULTRACARE WASHER

For prospective residents, an in-unit laundry system is among the most highly prized amenities available. The ASKO UltraCare washer is an excellent choice for everyone. It features low water and energy consumption and an extremely low discharge rate. For residents, it offers a large-capacity & superior cleaning performance with simple to use operation and beautiful styling. Characteristics like these help make any development more livable and more appealing. And for you, that's a windfall.

Quality-constructed with stainless steel drums inside and out, the ASKO UltraCare washer can make the difference in the occupancy rate of any development.

- **Stainless steel inner and outer drums never rust, chip or absorb odors**
- **Large-capacity drum capable of washing 14 towels or most queen-size comforters**
- **Smaller exterior allows for more convenient installations – under counters or stacked in closets**
- **Quattro™ four-shock suspension & Automatic Load Balancing System ensures quiet, virtually vibration-free spin**
- **Easy-to-use controls**
- **ADA height-compliant**
- **No additional wiring necessary – plugs into the ASKO UltraCare dryer**
- **ENERGY STAR® rated**

# FEATURES & SPECIFICATIONS

## DRYER

| | |
|---|---|
| HEIGHT: | 33½″ - 34½″″ |
| WIDTH: | 23 7/16″″ |
| DEPTH WITH DOOR OPEN: | 46 1/16″ |
| DEPTH WITH DOOR CLOSED: | 24 7/16″ |
| WEIGHT: | 104 lbs |
| CAPACITY: | 3.9 cu.ft. |

| | T743C | T743 |
|---|---|---|
| Butterfly Drying™ System | • | • |
| Internal Moisture Condenser/Collector | • | |
| TimeSaver™ Cool Down Cycle | • | • |
| Drying Temperatures (Low and Normal) | • | • |
| SensiDry™ Auto Dry Sensors | • | • |
| Three-Way Water Containment System | • | |
| Three-Way Venting | | • |
| Stainless Steel Drum | • | • |
| Double Lint Filter | • | • |
| Cleanable Fan | • | • |
| Stacking Kit Included | • | • |
| End-Of-Cycle Tone | • | • |
| LED Control System | • | • |
| Number Of Programs | 4 | 4 |
| Includes 220 V, 20 Amp Receptacle For ASKO Washer | • | • |
| Every Unit Factory Tested | • | • |
| Color: White | • | • |

*ASKO retains the right to vary the model specifications at any time. All facts were accurate at time of printing.*
*Before purchasing any appliance, read energy cost and efficiency information at your retailer.*

## WASHER

| | |
|---|---|
| HEIGHT: | 33½″ - 34½″″ |
| WIDTH: | 23½″″ |
| DEPTH WITH DOOR OPEN: | 36″ |
| DEPTH WITH DOOR CLOSED: | 23″ |
| WEIGHT: | 172 lbs |
| CAPACITY: | 2.44 IEC or 2.12 cu.ft. |

| | W6324 |
|---|---|
| Low Water Usage (Gallons) | 6.9 |
| Low Discharge Rate (GPM*) | 6.6 (1 DFU**) |
| Water Factor | 3.3 |
| MEF■ | 2.6 |
| Low Energy Use (kWh†) | 134 |
| Automatic Load Balancing System | • |
| Certified ISO14001 for Environmental Quality | • |
| Spin Speeds | 800/1200 |
| Sensor Level Control™ System | • |
| Super Wash option | • |
| Internal Water Heater | • |
| Wash Temperature Options (5) | 85-170° F |
| Maximum Number of Rinses | 7 |
| Six-Way, Aqua Block Water Containment System | • |
| Stainless Steel Inner and Outer Drums | • |
| ActiveDrum™ | • |
| Solid Rubber SmartSeal™ Door Gasket | • |
| Quattro™ Suspension System | • |
| Sound (Wash/Spin) | 54/74 DBA |
| Electronic Door Latch | • |
| Number of Programs | 6 |
| Easy-To-Reach, Out-Front Controls | • |
| ADA Height-Compliant | • |
| 220 V, 20 Amp Cord and Plug Included | • |
| Every Unit Factory Tested | • |
| Color: White | • |

** Gallons Per Minute ** Drain Fixture Unit ■ Modified Energy Factor † Kilowatt Hours*

ENERGY STAR PARTNER

c UL us Underwriters Laboratories, Inc.

ASKO

P.O. Box 940609 • Plano, Texas 75094-0609
800-898-1879 • www.askousa.com

© 2011 ASKO Appliances Inc. Form #071291110